



209 W. Central Avenue • Lompoc, CA 93436
 805.735.7888 • 800.585.3111 • FAX: 805.735.2388

robertsondentallab.com

WE ACCEPT DIGITAL IMPRESSIONS
 for design and/or complete fabrication
 3M: 3M Connection
 Trios: info@robertsondental.com
 Sirona: Available through CEREC® Connect
 Call us or visit our website (resource page)
 for more information

Dr. Name _____
 Date Prepped _____
 Date Needed Back _____ Time _____
 Patient Name _____
 Patient Info: M ___ F ___ Age ____
 Tooth Number _____

MATERIAL

Zirconia

- Monolithic
 - Zirlux MPA 1200*
 - Katana-Ultra MPa 575
 - Katana-Super MPa 748
- Layered
 - Zirconia Occlusal/Lingual

Lithium Disilicate (e.max)

- Monolithic
- Layered

PFM

- FullCast (all metal units)**
 - Non-precious
 - Nobel (semi-precious)*
 - High Nobel White (precious)
 - High Nobel Yellow (precious)

Metal Try-in

DESIGN

Occlusion

- 0.00 mm
- 0.25 mm out*
- 0.50 mm out
- 1.00 mm out

Buccal Margin Design

- Supported Margin
- Porcelain Butt Margin

If No Occlusal Clearance

- Call Dr.
- Spot Prep
- Spot Opposing
- Metal Occlusal
- Make This My Preference
- Yes No


Other Processes

- Diagnostic Waxup
- Temporaries

METAL DESIGN

- Coping With Full Porcelain Coverage
- Metal Coping With Porcelain Coverage*
- Coping 360° Collar 0.5mm
- Metal Occlusal Excluding Buccal Cusp
- Metal Occlusal Including Buccal Cusp

Pontic Design



Shade Instructions



Occlusal Staining

- None Light* Medium Heavy

IMPLANTS

Brand / System _____
 Size _____

Cement retained Screw retained / Hybrid

Abutment Material Type


Titanium Zirconia

Anodize metal abutment


Lab notes: _____

PLEASE INDICATE

Tooth Map Upper



Tooth Map Lower



*Standard unless specified otherwise.

Rx:

Call me to discuss case

Dr. Signature _____
 Lic. # _____

PLEASE SEND MORE

RX's Lab Boxes Shipping Labels

Photos

Memory Card / Thumb Drive / CD Enclosed

Prints Enclosed

E-mailed to photos@roberstondentallab.com

Please check All that Apply

Pre-Prep Model Included Opposing Model

Case Has Been Disinfected Doctor to Trim Die

Bite Registration Enclosed

Please include a study model on all work involving anterior teeth